



K3MA-F-A2 24VAC/DC

Frequency/rate meter, DIN 96x48 mm, color change display, pulse input, 2NO relay output, 24 VAC/DC

Type	Frequency, Rate
Input type	No voltage, Open collector
Input range	0.05 to 30 Hz, 0.1 to 5000 Hz
Size	1/8 DIN (96 x 48 mm)
Number of digits	5
Output type	Relay
Contact description	2 x SPST-NO
Supply voltage AC	20.4-26.4 V
Supply voltage DC	20.4-26.4 V
Accuracy	+/- 0.1% full scale
Communication port(s)	None
Features	Colour change display
Product Width (unpacked)	96 mm
Product Height (unpacked)	48 mm
Product Depth (unpacked)	80 mm

Aksesuarlar



K32-49HC

Hard cover for use with 96x48mm panel meter



K32-49SC

Splash-proof soft cover for use with 96x48mm panel meter

CAD Kütüphanesi



Colour Change Displays Kitapçık

TR PDF 281 KB



EAC Mark removal Üretimden Kaldırılma Bildirimi

EN PDF 221 KB



K3MA Series Digital Panel Meters Kullanıcı Kılavuzu

EN PDF 7,29 MB



K3MA series Broşür

TR PDF 327 KB



K3MA series Kitapçık

EN PDF 540 KB



K3MA-F Frequency/Rate Meter Veri Sayfası

TR PDF 1,47 MB

WEB SİTESİ KULLANIM KOŞULLARI

Bu PDF belgesi, 13 May, 2024 tarihinde OMRON Endüstriyel Otomasyon Avrupa web sitesinden oluşturulmuştur. [yasal duyurular](#) için buraya tıklayın.